


Driver Assistance Systems Front Camera

From January 2011



Protected by copyright. Copying for private or commercial purposes, in part or in whole, is not permitted unless authorised by AUDI AG. AUDI AG does not guarantee or accept any liability with respect to the correctness of information in this document. Copyright by AUDI AG.

The erWin logo, featuring the word "erWin" in a stylized, blocky font with a small crown icon above the "e".



Camera Control Module, Extended CAN Bus High Wire Junction, Directional Stabilization Assistance Windshield Defogger

G397 Rain/Light Recognition Sensor

J852 Camera Control Module

ST1 Fuse Panel 1

SB11 Fuse 11 (On Fuse Panel B)

T4u 4-Pin Connector, Near the Interior Rearview Mirror

T12a 12-Pin Connector

T46a 46-Pin Connector

TV41 Extended CAN Bus High Wire Junction

TV42 Extended CAN Bus Low Wire Junction

Z67 Directional Stabilization Assistance Windshield Defogger

Protected by copyright. Copying for private or commercial purposes, in part or in whole, is not permitted unless authorised by AUDI AG. Any use of this document is subject to the terms of use. Liability with respect to the correctness of information in this document. Copyright by AUDI AG.

44 Ground Connection on A-Pillar, Lower Left

with respect to the correctness of information in this document. Copyright by AUDI AG.

367 Ground Connection 2 (in Main Wiring Harness)

370 Ground Connection 5 (in Main Wiring Harness)

811 Ground Connection (in Windshield Defogger Wiring Harness)

B108 CAN Bus Extended High Connection 1 (in Main Wiring Harness)

B109 CAN Bus Extended Low Connection 1 (in Main Wiring Harness)

B565 Connection 32 (in Main Wiring Harness)

* Depending on Equipment



*2 Refer to Applicable Wiring Diagram for Fuse Positions

*3 Refer to Applicable Standard Equipment Wiring Diagram

*4 For Vehicles with Adaptive Cruise Control (ACC)

ws = white
 sw = black
 ro = red
 rt = red
 br = brown
 gn = green
 bl = blue
 gr = grey
 li = lilac
 vi = lilac
 ge = yellow
 or = orange
 rs = pink

Image Processing Control Module, Camera Control Module



J533 Data Bus on Board Diagnostic Interface

J851 Image Processing Control Module

J852 Camera Control Module

T5c 5-Pin Connector

T5i 5-Pin Connector

T12i 12-Pin Connector

T32b 32-Pin Connector

43 Ground Connection on A-Pillar, Lower Right

380 Ground Connection 15 (in Main Wiring Harness)

* Depending on Equipment


*2 For Vehicles with Adaptive Cruise Control (ACC)

*3 Shielding on Connector Housing

*4 Data Bus Wire (Flexray Bus)

Protected by copyright.
Copying or reproduction for private or commercial purposes, in part or in whole, is not
permitted unless authorised by AUDI AG. AUDI AG does not guarantee or accept any liability
with respect to the correctness of information in this document. Copyright by AUDI AG.

ws = white
 sw = black
 ro = red
 rt = red
 br = brown
 gn = green
 bl = blue
 gr = grey
 li = lilac
 vi = lilac
 ge = yellow
 or = orange
 rs = pink



Control Module for Adaptive Cruise Control, Control Module 2 for Adaptive Cruise Control, Image Processing Control Module

- J104 ABS Control Module
- J428 Control Module for Adaptive Cruise Control
- J533 Data Bus on Board Diagnostic Interface
- J850 Control Module 2 for Adaptive Cruise Control
- J851 Image Processing Control Module
- T8k 8-Pin Connector
- T8l 8-Pin Connector
- T12i 12-Pin Connector
- T32b 32-Pin Connector
- T38a 38-Pin Connector
- T47 47-Pin Connector

Protected by copyright. Copying for private or commercial purposes, in part or in whole, is not permitted unless authorised by www.rechtsanwaltsgruppe.com. © 2017 Audi AG. All rights reserved. www.rechtsanwaltsgruppe.com

For Vehicles with Adaptive Cruise Control (ACC)
Refer to Applicable Wiring Diagram for Adaptive Cruise Control

*3 Data Bus Wire (Flexray Bus)

*4 From June 2014